

Manufacturer's declaration of compliance for standards and quality

We declare that the following product: **Lock cylinders ABLOY CY313, CY314, CY315, CY331, CY332 and CY333**
with cylinder systems **ABLOY PROTEC and ABLOY DISKLOCK PRO**

has been successfully tested to: **EN 1303 : 2005 (E) – Building hardware – Cylinders for locks – Requirements and test methods**

with the following classification

a	b	c	d	e	f	g	h	i	j	k
1	6	0	0	0	C	6	2			

Box	Classification	Grade or category
a	Category of use	small change to misuse
b	Durability	number of test cycles 100000 (highest requirement)
c	Door mass	no requirement
d	Fire resistance	no requirement
e	Safety	no requirement
f	Corrosion resistance and temp.	EN 1670 grade 3 / -20...+80 °C
g	Key related security	grade 6 (highest requirement)
h	Attack resistance	grade 2 (highest requirement)
i		
j		
k		

and the following optional requirements:

when used for the following purpose:

Evidence of standards compliance:

- Type testing by Manufacturer
- Type testing by Manufacturer to EN 45001
- Type testing by Independent recognised laboratory Lab.ref:
- Regular audit testing by Manufacturer
- Regular audit testing by Manufacturer to EN 45001
- Regular audit testing by Independent recognised laboratory Lab.ref:
- Other (specify):

Evidence of quality compliance:

- Manufacturer's own quality system
- Manufacturer's quality system to EN 9002
- Manufacturer's quality system to EN 9001
- Manufacturer's quality system to EN 9002 with Independent quality assessment (3rd Party ref):
- Manufacturer's quality system to EN 9001 with Independent quality assessment (3rd Party ref): **Det Norske Veritas**
- Other (specify):

Evidence of marking compliance:

- None
- CE-marking
- Quality label (specify):
- Other (specify):

Signature: 
Reijo Hakkarainen

Date: September 21, 2006

Position: **Product Manager**

Company: **Abloy Oy / Wahlforssinkatu 20, 80100 Joensuu, Finland**

