

## Manufacturer's declaration of compliance for standards and quality

We declare that the following product: **Lock cylinders ABLOY CY404 and CY405 with cylinder systems  
ABLOY PROTEC and ABLOY DISKLOCK PRO**

has been successfully tested to: **EN 1303 : 2005 – Building hardware – Cylinders for locks –  
Requirements and test methods**

with the following classification

a	b	c	d	e	f	g	h	i	j	k
1	6	0	0	0	C	6	1			

Box	Classification	Grade or category
a	Category of use	<b>small change to misuse</b>
b	Durability	<b>number of test cycles 100000 (highest requirement)</b>
c	Door mass	<b>no requirement</b>
d	Fire resistance	<b>no requirement</b>
e	Safety	<b>no requirement</b>
f	Corrosion resistance and temp.	<b>EN 1670 grade 3 / -20...+80 °C</b>
g	Key related security	<b>grade 6 (highest requirement)</b>
h	Attack resistance	<b>grade 1 (medium level)</b>
i		
j		
k		

and the following optional requirements:

when used for the following purpose:

Evidence of standards compliance:


- Type testing by Manufacturer
- Type testing by Manufacturer to EN 45001
- Type testing by Independent recognised laboratory Lab.ref:
- Regular audit testing by Manufacturer
- Regular audit testing by Manufacturer to EN 45001
- Regular audit testing by Independent recognised laboratory Lab.ref:
- Other (specify):

Evidence of quality compliance:

- Manufacturer's own quality system
- Manufacturer's quality system to EN 9002
- Manufacturer's quality system to EN 9001
- Manufacturer's quality system to EN 9002 with Independent quality assessment (3<sup>rd</sup> Party ref):
- Manufacturer's quality system to EN 9001 with Independent quality assessment (3<sup>rd</sup> Party ref): **Det Norske Veritas**
- Other (specify):

Evidence of marking compliance:

- None
- CE-marking
- Quality label (specify):
- Other (specify):

Signature:   
Reijo Hakkarainen

Date: August 4, 2008

Position: **Product Manager**

Company: **Abloy Oy / Wahlforssinkatu 20, 80100 Joensuu, Finland**

